

Mevin B. Hooten

Predicting the Spread of Invasive Species

Introduction Methods Results Conclusions

○●○○○
○○○○○
○○○○○
○○○○○○
○○○○○○
○○○○○

Invasive Species

Characteristics of Invasive Species [notes]

- The idea with this figure is that it represents growth in the population size for an organism over time.
- The growth curve shown is very generalized, of course there are all manner of more complex forms of population growth. The basic idea is that after introduction, population size grows rapidly until resources become limiting.
- As the population size approaches the carrying capacity (i.e., saturation) other forms of dynamical behavior could ensue (e.g., stability, periodicity, chaos).



 Introduction
 Methods
 Results
 Conclusions

 000 ● 00
 000000
 0000000000

 000000
 0000000000
 0000000000

 Invasive Species
 Conclusions

Characteristics of Invasive Species (cont'd) [notes]

- Studying total population size is useful, but we want to make inference about the population size at numerous locations over time.
- These plots with multiple growth curves representing the growth in population size at each location of interest are informative, but it's difficult to see the interaction between locations (that is, the movement of organisms between locations).
- A sequence of maps is helpful here, such as those in the results section of this presentation.



Mevin B. Hooten

Predicting the Spread of Invasive Species

<ロト < 卸 > < 重 > < 重 > の < で

University of Missouri



Impacts of exotic species:

- Pests can attack humans and livestock (e.g., Killer Bee).
- Cause or transmit disease (e.g., West Nile Virus and Avian Flu).
- Disrupt native food webs (e.g., Peacock Bass and the exotic zooplankton, *Daphnia lumholtzi*.

Characteristics of Invasive Species (cont'd) [notes]

- Obviously these are some of the more prominent examples in the media.
- The point of this slide is to provide some justification for wanting to study these processes in more detail in order to better understand them and thus make better management decisions.



Mevin B. Hooten

University of Missouri

Predicting the Spread of Invasive Species

Results




History

Mevin B. Hooten

Eurasian Collared-Dove (ECD):

Predicting the Spread of Invasive Species

- Invaded Europe in 1930's.
- Introduced to Florida mid-1980's.
- Count data collected through N. Amer.
 Breeding Bird Survey, documenting invasion.
- Imperfect detection.



History [notes]

Introduction

Eurasian Collared-Dove

There are several good references for this species:

- Hengeveld, R. (1993) What to do about the North American invasion by the Collared-Dove? Journal of Field Ornithology 64:477-489.
- Romagosa, C., and R. Labisky. (2000) Establishment and dispersal of the Eurasian Collared-Dove in Florida. Journal of Field Ornithology 71:159-166.

University of Missouri


Conclusions


Predicting the Spread of Invasive Species


Mevin B. Hooten


Mevin B. Hooten

University of Missouri











- We want to characterize real environmental processes in the presence of data.
- We have a priori scientific knowledge about the process evolution.
- If we assume the data are a realization from such a process, which is latent and evolves dynamically, then a hierarchical probability model is useful:

[data|process][process]

Our knowledge of the process contains uncertainty, so we must learn about the process parameters as well:

[data|process][process|parameters][parameters]



Conclusions

Mevin B. Hooten Predicting the Spread of Invasive Species

000000 **General Statistical Framework**

Methods

Hierarchical Components

measurement error.

- [data|process]: Specified in the usual statistical sense. Accounts for possible observational uncertainty and/or
- [process|parameters]: Specified with discretized scientific model (for computation).
- [parameters]: Specified according to a priori scientific knowledge or lack thereof.
- [process, parameters|data]: We want to learn about the true process given the data (via Bayes).

Hierarchical Specification [notes]

- This is just a very general representation of a hierarchical model
- In the specific application of modeling invasive species, each of these components will have specific probability distributions associated with them.

Mevin B. Hooten University of Missouri Predicting the Spread of Invasive Species Introduction Methods Conclusions

General Statistical Framework Hierarchical Components [notes]

00000

- These models are very data and process specific.
- Each different scientific problem (and dataset) will require a different model specification. That is, different probability distributions and process models.
- The specification given in the following slides is relevant to the spatio-temporal ECD model only, though the general framework holds for many similar problems.

<ロト < 部 > < き > < き > り < で

University of Missouri

4□ > 4□ > 4□ > 4□ > 4□ > 900

Mevin B. Hooten

Predicting the Spread of Invasive Species

<ロ > < 個 > < 量 > < 重 > の < で University of Missouri

Predicting the Spread of Invasive Species

Mevin B. Hooten

Introduction



Data Model

$$n_{i,t}|N_{i,t}, \theta \sim \text{Beta-Binomial}(N_{i,t}, \theta),$$

where, $i = 1, \ldots, m$, $t = 1, \ldots, T$, and

 $n_{i,t}$: sample count at location *i* and time *t*.

000000000

- \blacksquare $N_{i,t}$: Population size at location *i* and time *t*.
- \blacksquare θ : probability of detection parameters (assumed to be known).



Mevin B. Hooten

Predicting the Spread of Invasive Species

University of Missouri

Conclusions

Hierarchical Matrix Model

Process Model

$$N_{i,t}|\lambda_{i,t} \sim \mathsf{Poisson}(\lambda_{i,t})$$
 , for $t = 1, \dots, T$,

where, λ_t is the mean and variance of the population size at time t and is modeled via a latent dynamic process:

$$\lambda_t = \mathbf{H} \lambda_{t-1}$$
,
= $\mathbf{MG} \lambda_{t-1}$, for $t = 1, ..., T$,

- **G** = $G(a, b, \lambda)$ is the growth matrix.
- $\mathbf{M} = \mathbf{M}(\delta)$ is the movement (dispersal) matrix.



Predicting the Spread of Invasive Species

Mevin B. Hooten

University of Missouri

Conclusions Introduction Results Hierarchical Matrix Model

Data Model [notes]

- Here $n_{i,t}$ for all locations i and times t, are the data.
- \blacksquare $N_{i,t}$ is the "true" population size and the thing we want to estimate.
- $\theta = \{\alpha, \beta\}$ are the parameters corresponding to the probability of detection. In this case we have estimated them using a separate model (see Royle and Dorazio 2006).
- The Beta-Binomial model is an "over-dispersed" binomial model where the $n_{i,t}$ is a random integer from zero to $N_{i,t}$. This data model allows us to account for the uncertainty in the probability of detection through the parameters α and

Mevin B. Hooten University of Missouri Predicting the Spread of Invasive Species

Results

Hierarchical Matrix Model Process Model [notes]

The Poisson model is a common model for "relative abundance" and allows for a substantial amount of variability in the "true" population size.

000000000

- The dynamical process model is a version of a "matrix model", as it is known in ecology.
- Conventionally, matrix models are used to study demographics in population growth. Here we modify it to study dispersal in population growth.
- Matrix Models are thoroughly discussed in:

Caswell, H. (2001) Matrix Population Models. Sinauer Associates, Inc., Sunderland, MA.

Mevin B. Hooten **Predicting the Spread of Invasive Species** University of Missouri

Conclusions



Hierarchical Matrix Model

Process Model (growth and dispersal)

Growth Model:

$$\mathbf{G}(a,b,\lambda_{i,t}) = \exp\{b\left(1 - \frac{\lambda_{i,t}}{a}\right)\},\,$$

Dispersal Model:

$$\mathbf{M}(oldsymbol{\delta}) = [(M_{i,j})]_{m imes m}, \ M_{i,j} \propto \exp\{-rac{d_{i,j}^2}{\delta_j}\}.$$

◆ロ > ◆ 個 > ◆ 量 > ◆ 量 > り < ②</p>

University of Missouri

Conclusions

Mevin B. Hooten

Methods

Predicting the Spread of Invasive Species

Parameter Model

Introduction

Probability distributions for the parameters can be specified based on prior scientific knowledge (or lack thereof):

 $a \sim Gamma(\alpha_a, \beta_a)$

Results

 $b \sim Normal(\mu_b, \sigma_b^2)$

 $log(oldsymbol{\delta}) \sim \textit{Normal}(oldsymbol{\mu}_{\delta}, oldsymbol{\Sigma}_{\delta})$

 $log(oldsymbol{\lambda}_1) \sim \textit{Normal}(oldsymbol{\mu}_{\lambda}, oldsymbol{\Sigma}_{\lambda})$

Process Model (growth and dispersal) [notes]

- This slide illustrates how these matrices are parameterized.
- The growth model is a Ricker growth equation; one form of a non-linear or density dependent growth equation. For further information see:

Kot, M. (2003) Elements of Mathematical Ecology. Cambridge University Press, Cambridge, UK.

- The dispersal model is a Gaussian (i.e., Normal) dispersal kernel. That is, it is a function that weights the dispersal of organisms from one location to another based on the distance between them $(d_{i,j})$. This is the component of the model that allows for **spatial** effects.
- The parameters controlling the rate of dispersal (δ_j) vary by location, allowing for organisms to move more easily in different areas. This also allows for a heterogeneous environment.

(ロ) (部) (注) (注) 注 り(で)

University of Missouri

Conclusions

Predicting the Spread of Invasive Species

Results

Hierarchical Matrix Model

Mevin B. Hooten

Introduction

Parameter Model [notes]

Methods

000000000

- These prior probability distributions represent *a priori* scientific knowledge about the parameters.
- They would be different for different problems of interest and should be specified vaguely (i.e., with large varibility) if little is known about the parameters.

<ロ > 4 @ > 4 @ > 4 種 > 種 ● 9 Q @

Predicting the Spread of Invasive Species


Mevin B. Hooten

University of Missouri

Mevin B. Hooten

Predicting the Spread of Invasive Species

University of Missouri



- We want to estimate the model parameters as well as characterize and predict the population size over time given the data.
- Bayes theorem and various sampling methods can be utilized to do this:

 $[\mathbf{N}, \lambda, a, b, \delta | \mathbf{n}] \propto [\mathbf{n} | \mathbf{N}, \theta] [\mathbf{N} | \lambda, a, b, \delta] [\lambda, a, b, \delta]$


Mevin B. Hooten University of Missouri

Predicting the Spread of Invasive Species

Introduction Methods Results Conclusions

Estimation (maps)

Eurasian Collared-Dove



 Introduction
 Methods
 Results
 Conclusions

 ○○○○○
 ○○○○○○
 ○○○○○○

 ○○○○○
 ○○○○○○○○
 ○○○○○○○○

 Hierarchical Matrix Model
 Conclusions

Implementation [notes]

- So we're interested in learning about \mathbf{N} , λ , a, b, and δ given the data (\mathbf{n}). That is, the we want to estimate the stuff on the left hand side of the equation (what's known as the posterior distribution).
- What allows us to do so is by writing the complicated joint model as the series of simpler probability models on the right hand side of the equation.
- We can't find these exactly, but we can get pretty close by taking numerous samples from these distributions and calculating our statistics based on the samples. One such method for sampling is called Markov Chain Monte Carlo (MCMC).

Mevin B. Hooten University of Missouri
Predicting the Spread of Invasive Species

Results

000000000000

Estimation (maps) [notes]

Eurasian Collared-Dove

- These maps show the mean of the posterior distribution for the "true" population size.
- Notice how the invasion starts in South Florida and spreads out as well as grows in intensity over time.
- Also notice how the population in South Florida ceases to grow after about 2001. It has reached its carrying capacity there.

University of Missouri


Conclusions

Predicting the Spread of Invasive Species

Mevin B. Hooten







Conclusions 000000000000 **Eurasian Collared-Dove**

Presence/Absence [notes]

- An advantage of obtaining the output from Bayesian models is that we can easily calculate probabilities.
- These maps show in red all areas where the probability of presence is at least 0.95.
- These can be viewed as probabilistic range maps.
- They are not to be confused with political election maps.

Methods



Results

Summary

In this setting, the matrix model specification accommodates:

- a priori scientific knowledge.
- Flexible dynamical behavior.
- Multiple sources of uncertainty.
- Long-range predictions (assuming no population collapse).

In addition to:

- More intuitive parameterization than other models (e.g., partial differential equation based models).
- More accessible to ecologists and managers.

Summary [notes]

Introduction

- In addition, there are many extensions to this model that can be (and were) implemented.
- These include things like: letting other parameters vary spatially and the comparison of models with different specifications.

<ロト <個 > < 種 > < 種 > 種 > 種 > 種 の < や

University of Missouri

Conclusions

<ロ > → □ > → □ > → □ > → ○ へ ○ ○ University of Missouri

Mevin B. Hooten Predicting the Spread of Invasive Species Mevin B. Hooten

Predicting the Spread of Invasive Species